



09/373984

## Freeform Search

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Term:

L12 and (inactivat\$3 near5 polymerase\$1)

Display: 10 Documents in Display Format: - Starting with Number 11

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

### Search History

DATE: Wednesday, March 17, 2004 [Printable Copy](#) [Create Case](#)**Set Name Query**

side by side

**Hit Count Set Name**

result set

DB=USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ

<u>L13</u>	L12 and (inactivat\$3 near5 polymerase\$1)	3	<u>L13</u>
<u>L12</u>	L11 and (exten\$4 near5 temperature\$1)	33	<u>L12</u>
<u>L11</u>	low temperature near5 PCR	73	<u>L11</u>
<u>L10</u>	low temperature near5 PCR near5 inactivat\$3 near5 polymerase\$1	0	<u>L10</u>
<u>L9</u>	L8 and (inactivat\$3 near5 (enzyme or polymerase\$1))	17	<u>L9</u>
<u>L8</u>	low temperature near5 (PCR or amplification)	128	<u>L8</u>
<u>L7</u>	L6 and PCR	141	<u>L7</u>
<u>L6</u>	exten\$4 near5 temperature near5 low\$2	5042	<u>L6</u>
<u>L5</u>	l4 and exten\$4	2	<u>L5</u>
<u>L4</u>	L3 and (inactivat\$3 near5 temperature)	2	<u>L4</u>
<u>L3</u>	isotherm\$3 near5 (amplif\$7 or PCR) near5 exten\$4	43	<u>L3</u>
<u>L2</u>	L1 and exten\$4	695	<u>L2</u>
<u>L1</u>	isotherm\$3 near5 amplif\$7	814	<u>L1</u>

END OF SEARCH HISTORY



## Freeform Search

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Term:

 Display:  Documents in Display Format:  Starting with Number 

 Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

### Search History

 DATE: Wednesday, March 17, 2004 [Printable Copy](#) [Create Case](#)

#### Set Name Query

side by side

#### Hit Count Set Name

result set

*DB=USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ*

<u>L17</u>	L16 and (inactivat\$3 near5 polymerase\$1)	0	<u>L17</u>
<u>L16</u>	L15 and (exten\$4 near5 degree\$1)	23	<u>L16</u>
<u>L15</u>	amplitaq DNA polymerase\$1	747	<u>L15</u>
<u>L14</u>	amplitaq DNA polymerase\$1 near5 exten\$4 near5 degree	0	<u>L14</u>
<u>L13</u>	L12 and (inactivat\$3 near5 polymerase\$1)	3	<u>L13</u>
<u>L12</u>	L11 and (exten\$4 near5 temperature\$1)	33	<u>L12</u>
<u>L11</u>	low temperature near5 PCR	73	<u>L11</u>
<u>L10</u>	low temperature near5 PCR near5 inactivat\$3 near5 polymerase\$1	0	<u>L10</u>
<u>L9</u>	L8 and (inactivat\$3 near5 (enzyme or polymerase\$1))	17	<u>L9</u>
<u>L8</u>	low temperature near5 (PCR or amplification)	128	<u>L8</u>
<u>L7</u>	L6 and PCR	141	<u>L7</u>
<u>L6</u>	exten\$4 near5 temperature near5 low\$2	5042	<u>L6</u>
<u>L5</u>	l4 and exten\$4	2	<u>L5</u>
<u>L4</u>	L3 and (inactivat\$3 near5 temperature)	2	<u>L4</u>
<u>L3</u>	isotherm\$3 near5 (amplif\$7 or PCR) near5 exten\$4	43	<u>L3</u>
<u>L2</u>	L1 and exten\$4	695	<u>L2</u>

L1 isotherm\$3 near5 amplif\$7

814 L1

END OF SEARCH HISTORY